




MILITÆRGRADERT LØFTEUSTYR FRA FINKBEINER



MOBILE COLUMN EHB® MILITARY GRADE LIFTING



ÉTT SYSTEM – MANGE LØSNINGER



MOBILE COLUMN EHB® MILITARY GRADE LIFTING



BATTERIDREVET OG TRÅDLØS 24V



MOBILE COLUMN EHB® MILITARY GRADE LIFTING



BESKYTTET HYDRAULIKKSYLINDER OG STEMPELSTANG



MOBILE COLUMN EHB® MILITARY GRADE LIFTING



LØFT FORAN OG BAK





- EAGLE IV / V
- DURO
- YAK
- (FENNEK)
- (LINCE)
- (ENOK)
- JLTV – OSHKOSH
- HUMVEE

MOBILE COLUMN EHB® MILITARY GRADE LIFTING



LØFT FORAN OG BAK



MOBILE COLUMN EHB® MILITARY GRADE LIFTING



FORLENGELSE MED LASTSTØTTEADAPTER



RHEINMETALL TPz
FUCHS

MOBILE COLUMN EHB® MILITARY GRADE LIFTING



BAKSIDE



FORSIDE



MOBILE COLUMN EHB® MILITARY GRADE LIFTING



LØFT 6x6 / 8x8




Smal konstruksjon – alle kjøretøy med akselavstand $\geq 1\,160$ mm kan løftes

MOBILE COLUMN EHB® MILITARY GRADE LIFTING



UNDER UTVIKLING → LINCE / ENOK / FENNEK-ADAPTER



MOBILE COLUMN EHB® MILITARY GRADE LIFTING



Finkbeiner®
SINCE 1927

EHB SERIES
WIRELESS MOBILE COLUMN LIFT



SIMPLE OPERATION

Speedy boot-up

Lift-set is ready
to lift in 5 seconds



Intuitive LCD display

Operate the lift-set from any lift.
View full System Status on any lift.



SINCE
1927

✓ PREMIUM BUILD QUALITY

Designed, built and fully safety-tested
in our German factory, using premium
quality materials and components.
Delivered fully charged & ready to use.

✓ HEALTH & SAFETY

CE-Stop (Crush protection)

When lowering, lift stops at 200mm.
Warning signal is activated when lift is
lowered further to ground position.

Mechanical lift locking from h = 55mm

Secure Industrial Radio Connection

433/868MHz (Not 2.4GHz or  Bluetooth)

SleepMode

When idle for 30 seconds.
Minimises radio interference.



Safer ergonomic workflows

Users work at optimal heights.

✓ EASY CHARGING

Long battery life

Up to 20 full-load lift-cycles per charge.



Standard AGM batteries

2 x 12V, 80Ah. User replaceable.

25% less power required

Energy efficient 2.2 kW motors.



EasyCharge (220V / 110V)

One 16A socket charges four linked lifts.
10m integrated **HI-VIZ** charging cables.

✓ MAINTENANCE FREE

Sealed lift-carriage bearings

No lubrication required.

Self-lubricating piston-rod

No lubrication required.

Stainless steel hydraulic pipework

No rubber hoses.



MADE IN GERMANY



MILITARY GRADE LIFTING GERMAN ENGINEERED



FORSVARET



BUNDESWEHR



- ✓ OPTIMISED SAFETY
- ✓ VERSATILE & ERGONOMIC
- ✓ DURABLE & LOW-MAINTENANCE

